CBRFC Forecast Areas


January 2017 **Colorado River Basin** Water Supply Briefing

Jan 9, 2017

Greg Smith – Sr. Hydrologist

Colorado Basin River Forecast Center National Weather Service NOAA

> Please mute your phone until ready to ask questions



Today's Presentation

Fall weather impacts to water supply forecasts

December - January weather / critical pattern change

Current snowpack situation

2017 water supply forecasts overview and current trends


January forecast – How good are they?


Upcoming weather – potential impacts to water supply forecasts

Contacts & Questions


^{*} Please mute your phone until ready to ask questions *

Started the 2017 water year very dry most areas






Storm track clipped the northern part of the Green River and Great Basins




Near or Above Average Precipitation

- Green River Basin above Flaming Gorge
- Northern Great Basin
- Parts of Duchesne River Basin

November - Where precipitation did fall - It was rain





First 20 days of November: Dry with temperatures as much as 20 degrees above normal




Impacts to soil moisture entering winter

Water Supply Forecast Impacts: Forecasts higher/lower by 3-10% of average





Impacts to high elevation snowpack entering winter




Typically high elevation (> 10,000 feet) snow accumulation occurs in November. This was not the case in parts of the Upper Colorado River Basin.

SNOTEL groups do not show this representation. They are below the high elevation zones in the CBRFC hydrologic model.

Water Supply Forecast Impacts: Forecasts lower as a percent of average in these areas.

December Weather

A Big Transition...from dry/warm to cooler and very wet



Early November Atmospheric Pattern:


Extended period with very warm and dry conditions in the runoff producing areas.

December Atmospheric Pattern:


Onslaught! Strong onshore flow transported significant moisture into the western U.S.

December Weather: Monthly and Seasonal precipitation

Very beneficial Month!





Early January Weather: Continued active and wet



January Atmospheric Pattern:


Onslaught continues. Very moist air masses continue to impact the western U.S.






Prepared by NOAA, Colorado Basin River Forecast Cente Salt Lake City, Utah, www.cbrfc.noaa.gov


The weather term of the season: "Atmospheric River"



December Weather: Impact to the snowpack





January Weather: Impact to the snowpack







Median 1981-2010 - 2017 - 2016 -









January Weather: Impact to the snowpack






Median 1981-2010 - 2017 - 2016 -











Median 1981-2010 - 2017 - 2016 -


Current Snowpack: Evolving Snowpack with additional storms





Lower Colorado (Virgin River) April-July Streamflow Volume Forecasts


(% of 1981-2010 average / median)




Forecasts as of Jan 1 2017

Lower Colorado Jan-May forecast streamflow volumes

(% of 1981-2010 median) Forecasts as of Jan 1 2017





Little Colorado-Lyman: 5.7 KAF / 80%


Verde-Horseshoe: 200 KAF / 127%

Salt - Roosevelt: 300 KAF / 97%


Gila-Gila: 65 KAF / 116%

CBRFC Model Soil Moisture

Precipitation impacts to soil moisture in the Lower Colorado River Basin




Forecast Evolution Plot: Flaming Gorge Inflow



Plots are available at: https://www.cbrfc.noaa.gov Select: water supply from the menu

Forecast Evolution Plot: Yampa - Deerlodge Park






The latest (2017-01-08) 50% ESP forecast is 1323 kaf.
Plot Created 2017-01-08 15:10:57, NOAA / NWS / CBRFC
Forecasts in the forecast target period include observed values.

Forecast Evolution Plot: Duchesne-Randlett






The latest (2017-01-08) 50% ESP forecast is 447 kaf.
Plot Created 2017-01-08 14:43:32, NOAA / NWS / CBRFC
Forecasts in the forecast target period include observed values.


Forecast Evolution Plot: Blue - Dillon Inflow






The latest (2017-01-08) 50% ESP forecast is 167 kaf.
Plot Created 2017-01-08 14:42:23, NOAA / NWS / CBRFC
Forecasts in the forecast target period include observed values.


Forecast Evolution Plot: Lake Granby Inflow






The latest (2017-01-08) 50% ESP forecast is 219 kaf.
Plot Created 2017-01-08 14:46:57, NOAA / NWS / CBRFC
Forecasts in the forecast target period include observed values.


Forecast Evolution Plot: Taylor - Taylor Park Inflow






The latest (2017-01-08) 50% ESP forecast is 93 kaf.
Plot Created 2017-01-08 15:06:09, NOAA / NWS / CBRFC
Forecasts in the forecast target period include observed values.

Forecast Evolution Plot: Gunnison - Blue Mesa Inflow




The latest (2017-01-08) 50% ESP forecast is 669 kaf.
Plot Created 2017-01-08 14:37:16, NOAA / NWS / CBRFC
Forecasts in the forecast target period include observed values.


Forecast Evolution Plot: Dolores - McPhee Reservoir Inflow



The latest (2017-01-08) 50% ESP forecast is 327 kaf.
Plot Created 2017-01-08 14:55:30, NOAA / NWS / CBRFC
Forecasts in the forecast target period include observed values.

Forecast Evolution Plot: San Juan - Navajo Reservoir Inflow






The latest (2017-01-08) 50% ESP forecast is 638 kaf.
Plot Created 2017-01-08 14:56:38, NOAA / NWS / CBRFC
Forecasts in the forecast target period include observed values.


Forecast Evolution Plot: Animas - Durango






The latest (2017-01-08) 50% ESP forecast is 427 kaf.
Plot Created 2017-01-08 14:43:18, NOAA / NWS / CBRFC
Forecasts in the forecast target period include observed values.

Forecast Evolution Plot: Lake Powell Inflow





The latest (2017-01-08) 50% ESP forecast is 7424 kaf.
Plot Created 2017-01-08 14:47:51, NOAA / NWS / CBRFC
Forecasts in the forecast target period include observed values.

Forecast Validation: How good are forecasts in January?

Historical Model Error 1981-2010

January has has the highest model/forecast errors significant snow accumulation period remains

Forecasts are better than just going with average


Error tends to decrease each month into the spring

Where We Do Better:


Headwaters Primarily snow melt basins Known diversions / demands

Where We Do Worse:


Lower elevations (rain or early melt)
Downstream of diversions / irrigation
Little is known about diversions / demands




Upcoming Weather and Impacts to Water Supply Forecasts Jan 9th 2017 **Very Moist Air**




Meteorological Model Guidance: Moist air mass impacting northern Great Basin, northern Green River Basin.




Meteorological Model Guidance: Colder air and additional precipitation northern half of forecast area





Meteorological Model Guidance: Precipitation over the Lower Colorado River Region and SW Colorado




Meteorological Model Guidance: Dry period from the weekend into the middle of next week








Precipitation Forecast: 7 day total (Jan 9th-Jan 16th)



Meteorological Model: Active pattern continues toward the end of the month



Key Points

Off to a great start due to the active Dec-Jan weather pattern

Dry soil moisture still impacting areas outside of the upper Green Basin with positive impacts in upper Green, Duchesne, parts of Lower Colorado.

Model guidance has trended forecasts above the Jan 1st official forecasts

There is still a large range of forecast probabilities. We could be impacted negatively if we were to turn dry like last year.

So far meteorological models suggest active weather will continue through the end of January.


Water Supply Forecasts are most likely to trend higher in the near term.


Long term our model uses average conditions.

Quick look at conditions that affect the water supply forecasts for Lake Powell unregulated inflow:

https://www.cbrfc.noaa.gov

Under 'Water Supply' menu then select 'Upper Colorado Situational Awareness'






Lake Powell Unregulated Inflow (kaf) Water Year 2017 Forecasts as of 2017-01-01


| Period | Obs to Date | Full Fcst | %Avg 91% | |
|------------|----------------|-----------|-------------|--|
| Apr-Jul | 0 | 6500 | | |
| Water Year | ater Year 1064 | | 88% | |


Lake Powell %Average Precipitation Water Year 2017

| Area | Oct | Nov | Dec | Water Year |
|-----------|-----|-----|-----|------------|
| UC-Powell | 60 | 75 | 177 | 106 |









2017 water supply briefing schedule

- 2017 monthly water supply briefings for the Colorado River Basin
 - Tuesday Feb 7th @ 11 am MT
 - Tuesday Mar 7th @ 11 am MT
 - Thursday Apr 5th @ 11 am MT
 - Friday May 5th @ 11 am MT
 - Great Basin webinars are same dates at 1:30 pm MT
- Peak flow briefing early March. Additional briefings scheduled as needed.
- Date/Times are subject to change. All registration information has been posted to the CBRFC web page.

CBRFC Water Supply Contacts

Please contact us with any questions

Michelle Stokes – Hydrologist In Charge <u>michelle.stokes@noaa.gov</u>

Paul Miller– Service Coordination Hydrologist <u>Paul.miller@noaa.gov</u>

Basin Focal Points (Forecasters)

Brenda Alcorn – Colorado River, Lake Powell Focal Point brenda.aclorn@noaa.gov

Greg Smith – San Juan, Gunnison, Dolores Focal Point greg.smith@noaa.gov

Ashley Nielson – Green River Basin Focal Point ashley.nielson@noaa.gov

Tracy Cox – Lower Colorado Basin, Virgin, Sevier Focal Point tracy.cox@noaa.gov

Brent Bernard – Great Basin Focal Point brent.bernard@noaa.gov